

Leca® Chimney & Flue Fill



Leca® Chimney & Flue Backfill

A lightweight, stable and insulating surround to the flue



Leca® Chimney & Flue Backfill Solutions

LIGHTWEIGHT. INSULATING. RELIABLE.

Leca® Chimney & Flue Backfill is the lightweight clay aggregate solution that improves chimney draw, retains heat and protects your home.



NON-HAZARDOUS & INERT

Chemically neutral, safe to handle and environmentally friendly.



EXTREME TEMPERATURE RESISTANT

Resilient to both high and low temperatures.



WATER RESISTANT

Will not clog when wet and is not affected by water.



CHEMICAL RESISTANT

Unaffected by chemicals and hydrocarbons.



IMPROVES CHIMNEY DRAW



PREVENTS CONDENSATION



REDUCES TAR & SOOT DEPOSITS



REDUCES HEAT LOSS



INCREASES FLUE LIFE SPAN



BETTER FUEL ECONOMY

Leca® M

Lightweight aggregate for eco insulation.

LWA for concrete mix, drainage and insulation

Lättklinker för tillslag, dränering och isolering

Lättklinker för ballast, dränering och isolering

50 L

- LIGHTWEIGHT
- INSULATING
- DURABLE
- EFFICIENT
- NATURAL



15kg BAGS
EASY TO CARRY
AND STORE



SINGLE-MAN LIFT
WELL WITHIN H&S
RECOMMENDATIONS



NO SPECIAL EQUIPMENT
OR PROTECTIVE CLOTHING
REQUIRED



NATURAL,
AND RECYCLABLE

Leca[®] Chimney and Flue Fill (50L Bags)



Leca[®] Chimney & Flue Backfill provides a lightweight, stable and insulating surround to the flue improving draw and retaining heat where it is most needed. It has a unique cellular inner structure which provides excellent insulating qualities.



Leca[®] LWA is non-hazardous, inert and is resilient to attack from chemicals, hydrocarbons, and extreme high & low temperatures. It is not affected by water and unlike other backfill material it will not clog when wet.

Primary properties

- Produce hotter gases and improved chimney draw
- Increased flue efficiency
- Reduction of heat loss
- Better fuel economy
- Prevents condensation
- Significant reduction of tar deposits
- Increased flue life span

Leca[®] Chimney and Flue Backfill bags weigh a nominal 15kg, well within the H&SE recommendations for a single-man lift. Leca[®] Chimney and Flue Backfill is chemically neutral and does not contain any environmentally harmful constituents. It is safe to handle and does not need any special protective clothing or special requirements for disposal.

Leca® Chimney & Flue Back Fill Solution



*** Leca® Chimney & Flue Fill can be delivered
in 50L bags or pneumatically pumped through piping**



Installing Leca[®] Chimney & Flue Fill



Step 1

Insert the liner down the chimney



Step 2

Ensure that the liner is safely inserted and secure



Step 3

Assess at the lower chimney point that material can be safely installed through the liner



Step 4

Pour in Leca Chimney Fill Bags



Step 5

Ensure the fireplace is secured back in place



Step 6

All complete

All set!



Email: enquiries@leca.co.uk
Website: www.leca.co.uk